



- Narrow Bezel
- SuperClear® IPS technology
- 10-bit colour
- HDMI and DisplayPort inputs
- Dual integrated speakers

The ViewSonic® VA2719-2K-smhd is a versatile 27" WQHD monitor with a thin bezel, designed to provide an exceptional viewing experience for both work and entertainment. The monitor's panel utilizes SuperClear® IPS technology and features an upgraded 2560 x 1440 WQHD resolution, giving users a detailed display with sharper image quality from virtually any viewing angle. The panel also allows more content to be fit and displayed on-screen, resulting in faster scrolling and navigation of displayed content. VA2719-2K-smhd's thin bezel allows users to setup multiple monitors side-by-side for improved workflow management. Built-in HDMI and DisplayPort inputs offer versatile connectivity. 10-bit colour produces richer and more vibrant colour, while the dual integrated 3 watt speakers pack a powerful sound punch. The monitor's Flicker-Free and Blue Light Filter eye-care technologies create a more comfortable viewing experience by eliminating eye strain resulting from extended viewing period.

Brilliant WQHD Resolution. Power in numbers

Featuring an upgraded 27" WQHD 2560 x 1440 panel, users will enjoy the benefits of greater image detail,

more displayable on-screen content, faster scrolling, and up to 70% more desktop space than Full HD (1920 x 1080); managing projects and multitasking has never been so easy.



A Sleek Design with a Modern Feel

Break free from bulky bezels and experience a sleeker look. The thin bezel design delivers a cleaner display and seamless multi-monitor setup capabilities.



Diversify Your Viewing Angle With SuperClear[®] Technology

Enjoy accurate and vivid colours with consistent brightness, no matter the vantage point. With SuperClear[®] IPS technology, VA2719-2K-smhd monitors deliver the same image quality whether you are looking at the screen from above, below, the front, or the side.




Enjoy The Lifelike Imagery of 10-Bit Colour

10-bit colour makes for richer and more vivid colour reproduction, ensuring that imagery displayed on the VA2719-2K-smhd goes above and beyond your expectations.



8-Bit



10-Bit

Extensive Connectivity

HDMI and DisplayPort inputs give you the freedom to connect your monitor to virtually any peripheral device.

HDMI



DisplayPort




Powerfully Immersive Dual Integrated Speakers

Designed with dual integrated 3 watt speakers, the monitor accents its incredible screen performance with immersive stereo sound for a complete multimedia experience.



Easy on the Eyes

Flicker-Free technology and a Blue Light Filter help eliminate eye strain caused by harmful light rays and periods of extended viewing.





Mercury-Free LED and Energy Efficient Eco-mode

ViewSonic's energy efficient Eco-mode adjusts brightness to the optimum setting, reduces eye fatigue, and prolongs the lifespan of the monitor's LED backlight.



VESA-Compatible Mount

Set the monitor up any way you like; using the VESA-compatible mount gives you added flexibility to fit your needs.



1. DisplayPort
2. HDMI
3. HDMI
4. Earphone
5. Power

Technical Specifications

Panel Technology	SuperClear® IPS TFT LCD
Resolution	WQHD 2560 x 1440
Display Area	596.736mm (H) x 335.664mm (V)
Aspect Ratio	16:9
Brightness	300 cd/m2 (Typ)
Contrast Ratio	1000:1 (Typ)
Dynamic Contrast Ratio	50,000,000:1
Viewing Angle	178 degrees / 178 degrees (Typ)
Response Time	5ms (GtG)
Colours	1.07B colours (10 bits colour depth)
Colour Gamut	99% sRGB
Panel Surface	Anti-Glare type, Hard-coating (3H) Haze 25%
Pixel Pitch	0.233mm (H) x 0.233mm (V)

INPUT SIGNAL	Frequency	Fh = 15 ~ 120KHz ; Fv = 24 ~ 75Hz
	Sync	TMDS

COMPATIBILITY	PC	Windows 10 certified
	Mac®	Power Mac tested

CONNECTOR	Digital	HDMI 1.4 x 2 DisplayPort 1.2 x 1
	Analog	N/A
	Audio Out	Earphone out x 1 (3.5mm plug)
	Audio In	Audio in x1 (3.5mm plug)

SPEAKERS	3W x 2
-----------------	--------

POWER	Power	3-pin plug (CEE22) x 1
	Voltage	AC 100-240V (Universal); 50/60Hz
	Consumption	33W
	Optimize	27W
	Conserve	21W

ERGONOMICS	Tilt	22 ~ -5 degrees
-------------------	------	-----------------

SPECIAL FEATURES	DDC/2B, DDC/CI, HDCP, Detachable Base, KENSINGTON Microsaver Security Compatible
-------------------------	--

WALL MOUNT	VESA®	100mm x 100mm
-------------------	-------	---------------

OPERATING CONDITIONS	Temperature (° F / ° C)	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)

DIMENSIONS (W x H x D) (mm)	
Physical with stand (mm)	620.2mm (W) x 443.8mm (H) x 250mm (D)
Physical without stand (mm)	620.2mm (W) x 362.2mm (H) x 45.1mm (D)
Packaging (mm)	695mm (W) x 470mm (H) x 136mm (D)
WEIGHT	
Net with stand (kg)	5.6kg
Net without stand (kg)	4.5kg
Gross (kg)	7.1kg
REGULATIONS	
	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, RCM, GEMS, VCCI, PSE, KC/KCC, e-Standby, CCC, China RoHS, CEL
PACKAGE CONTENTS	
	LCD Display Power Cable HDMI Cable Audio Cable Quick Start Guide *Actual content may differ from market to market

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.