

# **OVERVIEW**



1. Card reader	6. HDMI 2.1
2. USB 3.2 Gen 1	7. USB 3.2 Gen 1 (Always On)
3. Ethernet (RJ-45)	8. Power connector
4. USB-C 3.2 Gen 2	9. USB-C 3.2 Gen 2 (data transfer / DP 1.4 only)
5. 2x USB 3.2 Gen 1	10. Headphone / microphone combo jack (3.5mm)



## **PERFORMANCE**

#### **Processor**

#### **Processor Family**

AMD Ryzen™ 5 / 7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Ryzen 5 5600H	6	12	3.3GHz	4.2GHz	3MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics
AMD Ryzen 7 5800H	8	16	3.2GHz	4.4GHz	4MB L2 / 16MB L3	DDR4-3200	AMD Radeon Graphics

## **Operating System**

## Operating System\*\*

- Windows® 11 Home 64
- Windows 10 Home 64
- No operating system

## **Graphics**

## Graphics\*\*

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce® GTX 1650	Discrete	4GB GDDR6	-	-	DirectX® 12
NVIDIA GeForce RTX™ 3050 Laptop GPU	Discrete	4GB GDDR6	1500 MHz / 1740 MHz	95W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, DirectX 12

## **Monitor Support**

### **Monitor Support**

- 3050 / 3050Ti model: supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C)
  - HDMI supports up to 7680x4320@60Hz
  - USB-C supports up to 5120x3200@60Hz
- 1650 model: supports up to 4 independent displays (native display and 3 external monitors via HDMI and USB-C)
  - HDMI supports up to 3840x2160@60Hz
  - USB-C supports up to 5120x3200@60Hz

## Chipset

#### Chipset

AMD SoC (System on Chip) platform

## **Memory**

### Max Memory[1]

Up to 16GB DDR4-3200 offering

#### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

## **Memory Type**

DDR4-3200

#### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

### **Storage**

### **Storage Support**



Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 1TB

#### Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
M.2 2242 SSD	PCle® NVMe®, PCle 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-

## **Removable Storage**

#### **Optical**

None

#### **Card Reader**

4-in-1 card reader (SD, SDHC, SDXC, MMC)

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

#### **Speakers**

Stereo speakers, 2W x2, Nahimic Audio

#### Microphone

Dual array microphone

#### Camera

720p, with camera shutter, fixed focus

### **Battery**

#### **Battery**

Integrated Li-Polymer 80Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)

## Max Battery Life[1]

MobileMark® 2018: 5.72 hr (discrete mode) or 8.1 hr (hybrid mode)

#### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

#### **Power Adapter**

230W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

## **DESIGN**

## **Display**

## Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
17.3"	FHD (1920×1080)	None	IPS	300 nits	Anti- glare	16:9	800:1	72% NTSC	170°	Refresh rate 60Hz, Free-Sync, DC dimmer
17.3"	FHD (1920×1080)	None	IPS	300 nits	Anti- glare	16:9	800:1	72% NTSC	170°	Refresh rate 144Hz, Free-Sync, Dolby®



										Vision™, DC dimmer
--	--	--	--	--	--	--	--	--	--	--------------------

#### **Touchscreen**

Non-touch

#### Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

### **Input Device**

#### **Keyboard**

6-row, multimedia Fn keys, numeric keypad

#### **Keyboard Backlight**

White backlight

#### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, 69 x 104 mm (2.72 x 4.09 inches)

### Mechanical

### Dimensions (WxDxH)

Models	Dimensions
All models	398.6 x 290 x 24.3-26.2 mm (15.7 x 11.41 x 0.96-1.03 inches)

### Weight[1]

Models	Weight
All models	2.98 kg (6.57 lbs)

## **Case Color**

Phantom blue (top), shadow black (bottom)

#### **Surface Treatment**

Painting

#### **Case Material**

PC + ABS (top), PC + ABS (bottom)

#### **System Lighting**

No system lighting

### Notes:

1. The system weight varies depending on configurations.

## CONNECTIVITY

#### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet

## WLAN + Bluetooth®

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card

## Ports<sup>[1]</sup>

## **Standard Ports**

- 3x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer and DisplayPort™ 1.4)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery and DisplayPort 1.4)
- 1x HDMI 2.1
- 1x Card reader
- 1x Ethernet (RJ-45)

## Lenovo Legion 5 17ACH6



- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3: 40 Gbit/s; FireWire 400: 400 Mbit/s; FireWire 800: 800 Mbit/s

## **SECURITY & PRIVACY**

## **Security**

#### **Security Chip**

Firmware TPM 2.0 integrated in chipset

#### **Fingerprint Reader**

No fingerprint reader

### **BIOS Security**

- · Power-on password
- · Supervisor password
- Hard disk password

#### **Other Security**

Camera privacy shutter

### **SERVICE**

## Warranty

#### Base Warranty\*\*[1]

- 1-year depot service
- 1-year depot with 2-year system board service
- 2-year (1-yr battery) depot service

### Notes:

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty

## **ENVIRONMENTAL**

## **Operating Environment**

### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than  $10^{\circ}$ C ( $50^{\circ}$ F).



## **CERTIFICATIONS**

### **Green Certifications**

#### **Green Certifications**

- ErP Lot 3
- RoHS compliant
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







AMDa





