


150Mbps High Gain Wireless **USB** Adapter

N150 Wi-Fi with Longer Range










Highlights

High Gain Antenna for Long-Range Connections

A high gain antenna enables the TL-WN722N to reach your router from farther with more precise directional range, sustaining faster and more stable wireless connections.

One-Button Security

With a push of the WPS button, you can connect to the Wi-Fi network without typing a complex password, and stay protected with reliable security.





Features



· Excellent Speed – Great for video streaming, internet calling, or online gaming wirelessly



Wi-Fi Range

 Broad Wireless Range – 4dBi external antenna remarkably strengthens the signal power of the USB adapter



 Backward Compatibility – Supports routers utilizing 802.11b and 802.11g Wi-Fi standards



- · Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- · WPS Button Easy wireless security encryption at a push of the WPS button

Specifications

Wireless

· Wireless Standard: IEEE 802.11b/g/n

· Frequency: 2.4GHz

· Wireless Mode: Ad-Hoc / Infrastructure Mode

· Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

· Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM

• EIRP: 2.4 GHz < 20dBm

Hardware

· Interface: USB 2.0

· Antenna: Detachable Omni Directional (RP-SMA)

· LED: Status (Internal)

· Button: WPS

· Dimensions: 3.7 × 1.0 × 0.4 in (93.5 × 26 × 11 mm)

Mac Suppo Linu Suppo Suppo



For more information, please visit

http://www.tp-link.com/products/details/TL-WN722N.html

or scan the QR code left

Others

· Package Contents

150Mbps High Gain Wireless USB Adapter TL-WN722N

Quick Installation Guide

Resource CD

USB Extension Cable

· Certification

FCC, CE, RoHS

· System Requirements

Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux

Environment

Operating Temperature: $0^{\circ}\text{C} \sim 40^{\circ}\text{C}$ (32°F ~104°F) Storage Temperature: $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2018 TP-Link Technologies Co., Ltd. All rights reserved.

*Maximum wireless signal rates are the physical rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download-center.