


AC1200 Dual Band Wi-Fi Router

3in1: Router, Access Point, Range Extender







Extensive Range with Beamforming

IPTV and 4K TV ý, Multiple-Modes Supported


Highlights

Fast Connections

Enjoy internet with the dual-band Wi-Fi and 4 fast LAN ports. Equipped with 4 omni-directional antennas, Archer C54 generates a 2.4 GHz Wi-Fi across your house and a fast 5 GHz Wi-Fi, letting the whole family enjoy reliable Wi-Fi on every device.

3 Modes in 1

Router Mode (Default) Plug in an Ethernet cable to instantly create a private wireless network and share internet access with all your Wi-Fi devices.




Highlights

Wi-Fi Speeds Ideal for 4K


867 Mbps on 5 GHz and 300 Mbps on 2.4 GHz are ideal for both everyday tasks and 4K streaming without buffering.[†]

Beamforming

Beamforming detect the location of your connected devices and concentrates signals towards them to optimize wireless connections.







Regular Router


Highlights

MU-MIMO

MU-MIMO technology serves multiple devices at once, reducing wait time, and making each stream more efficient.[‡]


Versatile Management

Block inappropriate content and set daily limits for the total time children/staff spend online through Parental Controls. Guest Network creates a separate access point for guests, to ensure your privacy is secure.






Features





- WPS Make secure wireless connection guick and easy with the push of a button
- · Compact and Mountable Designed to conserve space and complement any décor.
- Intuitive Web UI Ensure quick and simple installation without hassle
- · Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android or iOS device





Reliability

- Ultimate Wireless Speed 300 Mbps on 2.4 GHz and 867 Mbps Guest Network – Provide separate access for guests while on 5 GHz Wi-Fi speed for lag-free work securing the home network
- · 802.11ac Backward compatible with 802.11b/g/n products
- IPTV Support IGMP Proxy/Snooping, Bridge and Tag VLAN to optimize IPTV streaming
- · QoS- Advanced QoS makes it easier for you to manage the bandwidth of connected devices
- IPV6 Supports IPv6 to work with more ISPs


Security

- · Access Control Establish a whitelist or blacklist to allow or block certain devices from accessing the internet
- · Parental Controls Manage when and how connected devices can access the internet
- Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active protection against security threats

Specifications

Hardware

- Ethernet Ports: 4 x 10/100Mbps LAN Ports, 1 x 10/100Mbps WAN Port
- Buttons: Reset/WPS Button
- Antennas: 4 Fixed Omni Directional Antennas
- External Power Supply: 9VDC/0.85A
- Dimensions (W x D x H): 4.5×4.2×1.0 in. (115×106.7×24.3 mm)



Wireless

- Frequency: 2.4GHz and 5GHz
- · EIRP:
- <20dBm(2.4GHz)
- <23dBm(5GHz)
- · Signal Rate:
- 5 GHz: Up to 867 Mbps
- 2.4 GHz: Up to 300 Mbps
- · Reception Sensitivity: 5GHz:

- 2.4GHz:
- 11n HT40 MCS7: -71dBm

· Wireless Standards: IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz

11a 54M: -76dBm; 11ac VHT20 MCS8: -70dBm; 11ac VHT40 MCS9: -65.5dBm; 11ac VHT80 MCS9: -61.5dBm

11g 54M: -76dBm11n; HT20 MCS7: -74dBm;

Wireless Function: Enable/Disable Wireless Radio, WMM

• Wireless Security: 64/128-bit WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption

Specifications

Software

- **Operation Modes:** Wireless Router, Range Extender, Access Point
- · WAN Type: Dynamic IP, Static IP, PPPoE, PPTP(Dual Access), L2TP(Dual Access)
- DHCP: DHCP Server, DHCP Client List, Address Reservation
- · Quality of Service: WMM, Bandwidth Control
- · NAT Forwarding: Port Forwarding, Port Triggering, UPnP, DMZ
- · Dynamic DNS: DynDns, NO-IP
- Firewall Security: SPI Firewall, IP and MAC Address Binding
- Protocols: IPv4, IPv6
- · Management: Parental Controls, Access Control, Local Management, Remote Management
- Guest Network: 2.4 GHz Guest Network, 5 GHz Guest Network

Others

- · Certification
- FCC, CE, RoHS
- · Requirements

Microsoft Windows 10/8.1/8/7/Vista/XP/2000/NT/98SE, MAC OS, NetWare, UNIX or Linux

- Java-enabled browser
- Cable or DSL Modem

- Environment

- Package Contents
- Wireless Router Archer C54
- Power Adapter
- RJ-45 Ethernet Cable
- Quick Installation Guide



For more information, please visit

https://www.tp-link.com/products/details/?model=Archer+C54_V1

or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-Link Technologies Co., Ltd. Copyright ©2020 TP-Link Technologies Co., Ltd. All rights reserved. *Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including materials, obstacles, volume and density of traffic, and client location.

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other

Subscription with an Internet Service Provider (for internet access)

Operating Temperature: 0°C~40°C (32°F ~104°F) Storage Temperature: -40°C~60°C (-40°F ~140°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

www.tp-link.com

TP-Link AC1200 Dual Band Wi-Fi Router Archer C54