Delivering optimized performance within an affordably priced tower



OEM XE

Sharpen your competitive edge. Focus on innovation versus technology churn with XE stability, longevity and visibility. Dependably stable with static CPU, up to nine-month transition upon launch of next generation, and six months in-advance visibility to key component change.





SPACE-SAVING DESIGN

Get incredible, scalable performance and reliability in a small, mini-tower design. A range of easy-to-reach ports keep you connected to everything you need while the optional Smart Card reader seamlessly keeps your IP secure.



SOLUTION FUTURE PROOFING

The tower chassis supports dual M.2 and 3 \times 3.5" hard drives, NVMe drives and ability to support double-wide GPU/accelerators up to 250W to support advanced analytic capabilities for machine learning and Al.



INTELLIGENT PERFORMANCE

Power through intensive tasks easily with 10th Generation Intel® Core™ or Xeon® processors and get real-time results with up to 128GB of faster 2933Mhz UDIMM memory. Dell Optimizer for Precision uses AI to tune your workstation to provide the best performance for the applications you use most.



MISSION-CRITICAL RELIABILITY

Ideal for healthcare, Industrial Control and other uses that require mission critical reliability paired with high performance. Support for Windows® 10 IoT Enterprise 2019 LTSC provides additional stability for OEM embedded use cases. The Intel® Xeon® processors provide Error Correcting Code (ECC) memory support which identifies and corrects single bit memory errors.

Recommended Accessories

PRECISION 3640 XE TOWER



DELL PREMIER WIRELESS KEYBOARD AND MOUSE | KM717

Enhance productivity with a comfortable keyboard and a mouse that can scroll on almost any surface (including glass and high gloss). Dual mode connectivity (Bluetooth and USB receiver) allows you to pair up to 3 devices.



DELL ULTRASHARP 27 4K MONITOR | U2720Q

Experience captivating details and true-to-life color reproduction on this brilliant 27" 4K monitor with the widest color coverage in its class⁸.



PRECISION MINI-TOWER DUST FILTER

Custom built for your Precision, the external dust filter keeps your internal components clean and running smoothly. It is easy to install and rinse clean.



DELL PRO STEREO SOUNDBAR | AE515M

Optimize your conference calls, multimedia streaming and gaming with this 5W RMS Microsoft® Skype® for Business certified soundbar.



DELL ULTRASHARP 49 CURVED MONITOR | U4919DW

Enjoy a revolutionary 49-inch dual QHD curved monitor with ultra wide views, multitasking features and seamless USB-C connectivity for an immersive work experience.



PRECISION MINI-TOWER CABLE COVER

Reduce clutter and provide secure cable management for your Precision with custom built cable cover.



WIRED MOUSE WITH FINGERPRINT READER

Safeguard your identity and login instantly without needing to remember complex passwords when you use the Dell Wired Mouse with Fingerprint Reader.



JABRA EVOLVE 75

With the ambient noise cancellation feature of this wireless headset you can hear every word clearly on your next call.



3DCONNEXION® SPACEMOUSE WIRELESS

3Dconnexion's patented 6-Degrees-of-Freedom (6DoF) sensor is specifically designed to manipulate digital content or camera positions in the industry leading CAD applications. Simply push, pull, twist or tilt the 3Dconnexion controller cap to intuitively pan, zoom and rotate your 3D drawing.

Features & Technical Specifications

PRECISION 3640 XE TOWER

Feature Precision 3640 XE Tower Technical Specifications

Processor Options¹ 10th Generation Intel® Core™ i9-10900K, 20 MB Cache, 10 Core, 3.7 GHz to 5.3 GHz - DDR4 2933

10th Generation Intel® Core™ i9-10900, 20 MB Cache, 10 Core, 2.8 GHz to 5.2 GHz - DDR4 2933

10th Generation Intel® Core™ i7-10700K, 16 MB Cache, 8 Core, 3.8 GHz to 5.0 GHz - DDR4 2933

10th Generation Intel® Core™ i7-10700, 16 MB Cache, 8 Core, 2.9 GHz to 4.7 GHz - DDR4 2933

10th Generation Intel® Core™ i5-10600K, 12 MB Cache, 6 Core, 4.1 GHz to 4.8 GHz - DDR4 2666

10th Generation Intel® Core™ i5-10600, 12 MB Cache, 6 Core, 3.3 GHz to 4.8 GHz - DDR4 2666

10th Generation Intel® Core™ i5-10500, 12 MB Cache, 6 Core, 3.1 GHz to 4.5 GHz - DDR4 2666

10th Generation Intel® Core™ i3-10100, 6 MB Cache, 4 Core, 3.6 GHz to 4.3 GHz - DDR4 2666

10th Generation Intel® Xeon® W-1290P, 20 MB Cache, 10 Core, 3.7 GHz to 5.3 GHz - DDR4 2666

10th Generation Intel® Xeon® W-1290, 20 MB Cache, 10 Core, 3.2 GHz to 5.2 GHz - DDR4 2666

10th Generation Intel® Xeon® W-1270P, 16 MB Cache, 8 Core, 3.8 GHz to 5.1 GHz, DDR4 2666

10th Generation Intel® Xeon® W-1270, 16 MB Cache, 8 Core, 3.4 GHz to 4.9 GHz - DDR4 2666

10th Generation Intel® Xeon® W-1250P, 12 MB Cache, 6 Core, 4.1 GHz to 4.8 GHz - DDR4 2666

10th Generation Intel® Xeon® W-1250, 12 MB Cache, 6 Core, 3.3 GHz to 4.7 GHz - DDR4 2666

Operating Windows® 10 Professional (64 bit)

System Options² Windows® 10 Pro for Workstations (64 bit) w/ Intel Xeon® processors

Windows® 10 Home (64 bit)

Windows® 10 IoT Enterprise 2019 LTSC

Red Hat® Enterprise Linux® 8.2 (coming soon)

Ubuntu® 18.04 SP1

NeoKylin 7.0 (China only)

Intel® W480 chipset Chipset

Memory Options³ 4 Dimm Slots; Up to 128GB 2666MHz or 2933MHz (2933MHz requires Intel Core i7 or above)

Non-ECC & ECC DDR4 Memory

Graphics Options³ One PCI Express® x16 Gen 3 slot supporting graphics card up to 300W (Total power available for discrete

graphics cards). RTX5000 (nVIDIA) and W5700XT (AMD) are the highest single cards available as of now.

(Some cards are available in Dual Config as well)

High End cards:

NVIDIA Quadro® RTX5000

AMD Radeon Pro™ W5700

Mid-range 3D cards: (all single or dual)

NVIDIA Quadro® RTX4000

NVIDIA Quadro® P2200

AMD Radeon Pro™ W5500

Entry 3D cards: (all single or dual)

NVIDIA Quadro® P1000

AMD Radeon Pro™ WX3200

NVIDIA Quadro® P620

NVIDIA Quadro® P400

Storage Options⁴ Support for up to (2) M.2 PCle SSD on motherboard slot and up to (3) 3.5" SATA® or (4) 2.5" SATA®.

Support for Intel® Ready Mode™ technology

Support for up to (1) additional PCle SSD on Dell Precision Ultra-Speed drive (x8) with active cooling

M.2 PCIe NVMe™ SSD

up to (2) 2TB (max 4TB) on M/B

Up to (1) 2TB on Dell Precision Ultra-Speed drive

SATA® 2.5" 7200 RPM

Up to (4) 2TB 7200 RPM

SATA® 3.5"

Up to (3) 8TB 7200 RPM

Self Encrypting Drives

512GB M.2 NVMe™ SSD Class 40 SED

256 GB M.2 NVMe™ Class 40 SED

1 TB M.2 NVMe™ Class 40 SED

500 GB 2.5-inch OPAL SATA SED FIPS HDD

Features & Technical Specifications

PRECISION 3640 XE TOWER

Feature Precision 3640 XE Tower Technical Specifications

Storage Controller Integrated: Intel® Rapid Storage Controller 12.0 supporting SATA 6Gb/s and host based RAID 0/1/5/10

Speakers Internal Speaker; Optional Dell 2.0 stereo speaker systems available and Dell sound bar for select

flat-panel displays

Communications Integrated: Intel® Ethernet Connection I219-LM 10/100/1000

Optional: Intel 10/100/1000 PCIe Gigabit Networking card Aquantia® AQtion™ AQN-108 5/2.5 GbE NIC Adapter

Optional: WLAN on M.2 2230 port with up to Wi-Fi® 6 (802.11ax) wireless module and Bluetooth® 5

Audio Controller Integrated Realtek® ALC3246 High Definition Audio Codec (2 Channel)

Add-in cards

Support for up to (1) additional PCle SSD on Dell Precision Ultra-Speed drive (x8) with active cooling

Thunderbolt™ 3 PCle Card

Serial and Parallel Port PCle Card (Full Height)
USB 3.2 Type C[™] Gen 2 PCle Card (Full Height)

Powered USB 3.2 PCle Card, Remote Access Host Card, Tera2 Smart Card Reader (CAC/PIV) with pre-boot authentication support

I/O Ports Front:

Chassis

Front of the chassis has 2 I/O offerings - Base and Upsell with following differences in USB and SD card reader.

(Availability depends on chassis selection and region)

Base offering

2x USB 2.0 Type A

1x USB 3.2 Type A Gen1 (5Gbps), with PowerShare 1x USB 3.2 Type C[™] Gen2 (10Gbps), with PowerShare

No SD card reader

Upsell offering

1x USB 3.2 Type A Gen1 (5Gbps) 1x USB 3.2 Type A Gen2 (10Gbps)

1x USB 3.2 Type A Gen2 (10Gbps), with PowerShare 1x USB 3.2 Type C^{TM} Gen2 (10Gbps), with PowerShare

With SD card reader

Other Front ports

1x Microphone

1x 3.5 mm headphone jack

Rear

Starting from top, going left to right

2x DisplayPort™

2x PS2 (Legacy for keyboard and mouse)

1x Optional Port (VGA, HDMI 2.0, DP++ 1.2, Type CTM w/DP-Alt mode)

2x USB 2.0 Type A (with SmartPower)

1x RJ45 Network Connector 2x USB 3.2 Type A Gen2 (10Gbps) 2x USB 3.2 Type A Gen1 (5Gbps)

1x Audio Line out

HxWxD: 13.19" x 6.95" x 13.58" (33.5cm x 17.7cm x 34.5cm), Min weight: 9.358Kg

Bays: (3) internal 3.5" bays - supports (3) 3.5" or (4) 2.5" storage drives

Slots: 2x M.2 2280 slots for PCle NVMe™ SSDs. 1x M.2 2230 WLAN slot. 1x PCle x16 Gen3 (full height).

1x PCI (full height), 1x PCIe x4 Gen3 (open ended, full height)

Power Supply:

460W 90% efficient PSU (80PLUS Gold Certified Certified) Energy Star compliant;

550W 90% efficient PSU (80PLUS Gold Certified) Energy Star compliant

Features & Technical Specifications

PRECISION 3640 XE TOWER

Feature Precision 3640 XE Tower Technical Specifications

Storage devices Optional:

Environmental

1 optical drive: DVD-ROM; DVD+/-RW, Blu Ray™ Writer

(Note: optical drive not available with Smart Card Reader (CAC/PIV))

SD Card Reader (Note: SD card reader is available in Upsell offering only. Availability for a chassis may differ

across regions.)

Security Options⁵ Trusted Platform Module TPM 2.0, Dell Data Guardian, Dell Endpoint Security Suite Enterprise,

Dell HW Crypto Accelerator, Microsoft Windows Bitlocker, Local HDD data wipe via BIOS ("Secure Erase"), Encryption - SED HDD (Opal FIPS), Chassis lock slot support, Chassis Intrusion Switch, D-Pedigree (Secure

Supply Chain Functionality), Setup/BIOS Password, Optional Smart Card keyboards,

Intel® Trusted Execution Technology, Intel® Identity Protection Technology, Dell Secure Works, BIOS support

optional Computrace, Intel Software Guard extensions

Systems Management⁶ Dell Command | Intel vPro™ Out of Band

Regulatory & ENERGY STAR® configurations available including 80 PLUS® Bronze and Gold power supplies

(Bronze not available in the Americas); EPEAT Silver registered. (see epeat.net for specific registration rating/status by country); China CECP; GS Mark. For a complete listing of declarations & certifications, see

Dell's regulatory & compliance homepage at dell.com/regulatory_compliance

Warranty & Support

3-Year Limited Hardware Warranty and 3-year NBD On-Site Service after Remote Diagnosis

Services⁷

Optional: Dell ProSupport is designed to rapidly respond to your business's needs, help protection.

Optional: Dell ProSupport is designed to rapidly respond to your business's needs, help protect your investment and sensitive data and provide enhanced proactive support services to help reduce risk and complexity within

your IT environment

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strenthen security.



Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

D¢LLTechnologies



PRECISION 3640 XE TOWER

Create without limits.

Some options available only in select regions; ISV certification applies to select configurations:

- 1 Intel Turbo Boost mode only available on Xeon, Core i9, Core i7 and Core i5 processors. Intel Integrated HD graphics only available with select processors.
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 System memory may be used to support graphics, depending on system memory size and other factors.
- 4 Hard Drive capacity varies with preloaded material and will be less.
- 5 Computrace is not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
- 6 Systems Management Options:Intel® vPro Technology Fully vPro-capable at point of purchase; the vPro systems management option requires vPro processors. Includes support for Intel Advanced Management Technology (AMT) 9.x. Intel® Standard Manageability Fully enabled at point of purchase, the Intel Standard Management option is a subset of the AMT features. ISM is not upgradeable to vPro technology post-purchase. No Out-of-Band Systems Management This option entirely removes Intel out of band systems (OOB) management features. The system can still support in band management. OOB management support through AMT cannot be upgraded post-purchase.
- 7 Availability and terms of Dell Services vary by region. For more information, visit Dell.com/servicecontracts/global; Limited Hardware Warranty available by writing Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty; Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 8 With up to 95% coverage of the DCI-P3 color space, based on Dell analysis of publicly available data of competitive monitors, Aug 2019.

Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries. Microsoft and Windows are trademarks of Microsoft Corporation in the U.S. and/or other countries.